

## iPECS LDP-9200 Series has improved voice quality and newly designed digital phones that fit with the IP handset family

Empower your business with iPECS LDP-9200 Series. Newly designed and with rich features, the iPECS LDP-9200 Series has an interface that improves usability and provides high voice quality to improve the user experience. With a wide range of models it allows for diverse combinations that fit any business environment.

### LDP-9240D

Advanced

- 320 x 144 graphic LCD with backlit
- 12 (2 pages, total 24) flexible buttons with Dual LED
- Full duplex speaker phone
- Support button kit (12/24/48 DSS)
- Support EHSA (Electronic Hook Switch)



### ACCESSORY

#### LIP-9012DSS

- 12 keys with triple color LED
- Paper underlay
- Power via keyset



### LDP-9224DF

Professional

- 192 x 36 graphic LCD with backlit
- 24 flexible buttons with Dual LED
- Full duplex speaker phone
- Support button Kit (12/24/48 DSS)
- Support EHSA (Electronic Hook Switch)



#### LIP-9024DSS

- 24 keys w/with triple color LED
- Paper underlay
- Power via keyset



### LDP-9208D


Basic

- 2 x 24 character LCD without backlit
- 8 flexible buttons (Dual LED)
- Half duplex speaker phone
- No support button Kit



#### LDP-9248DSS

- 48 keys with triple color LED
- Paper underlay
- Power from system



#### EHSA

(Electronic Hook Switch Adapter)

- Compatible with Plantronics and Jabra
- Package of EHSA & foot stand



## Specification

		LDP-9208D	LDP-9224DF	LDP-9240D
Display	LCD size (Pixels)	24 Character	192 x 36	320 x 144
	LCD dimension (W x H mm)	94.5 x 18	94.5 x 30.61	94 x 47
	UI line	2 line	3 line	8 line
	Backlit	No	Yes	Yes
	LCD type	Character LCD	Graphic LCD	Graphic LCD
Keypad	Programmable button with BLF	8	24	24
	Soft key	No	Yes	Yes
	Navigation key	No	No	Yes
	Fixed button (Dedicated hard key)	8	11	11
	LED button	5	6	6
Network Interfaces	EHSA	No	Yes	Yes
Audio Interfaces	Handset (RJ-9)		Yes	
	Headset (RJ-9)		Yes	
	Speaker phone	Half duplex	Full duplex	Full duplex
Hardware Specification	Active/Standby power consumption (Watt)	1.6/1	1.8/1.2	1.8/1.2
	Dimension (H x W x D, mm)	195 x 229 x 108	229 x 229 x 126.2	229 x 229 x 126.2
	Weight (Net, g)	922	1008	1024
Others	Phone tilting	No	Yes	Yes
	Button kit support	No	Yes	Yes
	Wall mount		Optional	

## DSS Option

Model	LIP-9012DSS	LIP-9024DSS	LDP-9248DSS
Compatibility	LDP-9224DF/40D	LDP-9224DF/40D	LDP-9224D/24DF/40D
Flexible button	12	24	48
Underlay type	Paper		
Maximum connection	1	1	2
Triple color LED	Yes		
External power	No		

## EHSA (Electronic Hook Switch Adaptor)

EHSA is a set of cables connect between wireless or wired headset and desk phones. It enables customers to answer and end calls away from their desks.

### Benefits

- Support wired and wireless devices
- Common use in digital and IP phones
- Stable operation and better quality

### Specifications

- CPU : CortexM0
- Power : From phone (5V, 3.3V)
- Phone communication : DSS port 14 pin
- EHSA selection : Auto detection
- Protocol : SIP/IPKTS
- Compatible Model : Plantronics CS500 Series, SAVI 700 Series, Jabra Pro 920 Series, Pro 9400 Series



[www.ariatech.com.au](http://www.ariatech.com.au)

The content of this document is subject to revision without notice due to continued progress in methodology, design and manufacturing. Ericsson-LG Enterprise shall have no liability for any error or damage of any kind resulting from the use of this document

© Ericsson-LG Enterprise Co., Ltd. 2017 Ver. 1.4

Ericsson-LG Enterprise Co., Ltd.  
 (431-749) 77, Heungan-daero 81 beon-gil, Dongan-gu, Anyang-si, Gyeonggi-do, South Korea  
[www.ericssonlg-enterprise.com](http://www.ericssonlg-enterprise.com) | [www.iPECS.com](http://www.iPECS.com) | [www.iPECS-Cloud.com](http://www.iPECS-Cloud.com)

iPECS is an Ericsson-LG Brand

